



The Complete Collection

Quality reigns supreme

One of Britain's much-loved brands... From humble beginnings in 1890, Valor has grown to become one of Britain's much-loved brands and today, we are one of the most recognised names in home heating. A reputation built on reliability, trust and safety stems from our unswerving commitment to create energy efficient heating solutions that surpass the needs of today's modern lifestyles.

Our advances in gas fire technology are legendary... Dedication and commitment, combined with pioneering technology, is the reason we've always been steps ahead of the competition. Not only did we revolutionise the market with the first ever living flame gas fire and the first ever balanced flue fire, the Valor Dream still ranks as the best-selling inset gas fire EVER!

One of the largest portfolios of fires and stoves... In recognition of our endeavours to reduce carbon emissions and running costs through ground-breaking gas fire technology, we received the prestigious Queen's Award for Enterprise: Innovation in 2009 for our best-selling Homeflame gas fire range. With this heritage it's no wonder we have one of the largest portfolios of fires and stoves available in the UK today.

Fires and fires galore... Meticulously designed to suit the many different requirements of UK homes and chimney configurations, our latest collection of fires boasts a range of installation options and designs styles to suit every need, pocket and lifestyle. Take our gas collection. Featuring a wide variety of living flame effect fires in a range of different styles, colours and options - including fuel beds, control types and installations - these models are available in high efficiency, decorative, inset, balanced flue, outset and radiant options - to name but a few.

Meanwhile, when it comes to electric, it's easy to see why Valor is a number one choice. 100% efficient at the point of use, which means no heat is wasted, these high efficiency LED electric fires benefit both the environment and help reduce energy bills. Our premier range of Dimension fires also provide an unrivalled degree of realism.

Trust us, we have it covered... As one would expect from a leading manufacturer, all Valor gas and electric fires are quality tested to rigorous standards and in the case of gas fires, this even includes a gas soundness test. All our gas fires come complete with a flame safety device that cuts off the gas in the unlikely event that the pilot light becomes extinguished and an equivalent is also featured across all our electric models.

When you purchase a Valor or Robinson Willey fire, you do so with the utmost confidence that it will serve you for many years to come. With our products there can be no mistaking - quality reigns supreme.



A simple guide

for choosing the correct fire for your home

With the many advancements in fire technology it is easy to get confused. We have laid out the Valor range options in an easy to view matrix, so you can compare the product offers and pick the one perfect for you and your home.


Generally fires are powered by mains gas, LPG, electricity or solid fuel, the options for selecting a fire may start here. If like many homes in the UK you have access to gas, electricity and solid fuel, your next consideration is likely to be the availability of a chimney or flue.

Full Depth Homeflame

Efficiency: up to 85%
Mains Gas

BC PF PCF NC
● ● ● ●

- Living flame effect
- High output
- Choice of Inset & Landscape




Slimline Homeflame

Efficiency: 80%
Mains Gas

BC PF PCF NC
● ● ● ●

- Living flame effect
- High output
- Wide range of fascia




Balanced Flue

Efficiency: 84 - 88%
Mains Gas

BC PF PCF NC
● ● ● ●

- No chimney needed
- Living flame effect
- High output




Full Depth Convector

Efficiency: 59 - 64%
LPG/Mains Gas

BC PF PCF NC
● ● ● ●

- Living flame effect
- High output
- Wide range of fascia




Slimline Convector

Efficiency: 61%
LPG/Mains Gas

BC PF PCF NC
● ● ● ●

- Living flame effect
- High output
- Wide range of fascia




Full Depth Inset

Efficiency: 61%
LPG/Mains Gas

BC PF PCF NC
● ● ● ●

- Living flame effect
- Value product
- No hood



Slimline Inset

Efficiency: 56%
LPG/Mains Gas

BC PF PCF NC
● ● ● ●

- Living flame effect
- Value product
- No hood




Outset

Efficiency: 78 - 88%
Mains Gas

BC PF PCF NC
● ● ● ●


- Living flame effect
- High output
- Choice of designs



Pick the perfect fire for your home

What type of chimney does your home have?

Look at the pictures and decide which one best matches the chimney at your home then, when you're reading through our brochure and find a fire you like, simply check in the features section of the page under 'Chimney Required', to see if it's suitable for the chimney at your property.




No Chimney (NC)

Even if you have no chimney or flue we have a selection of fires for you. Our balanced flue and electric fires are the solution here.




Brick Chimney (BC)

Suitable for all fires. The classic brick built chimney can handle fires with a deep fuel bed right through to shallower slimline styles.



Pre-fabricated Flue (PF)

Suitable for most fires, dependent on the flue depth and diameter



Pre-cast Flue (PCF)


Suitable for a wide range of slimline, outset & radiant gas fires

Decorative Gas Fire

LPG/Mains Gas

BC PF PCF NC
● ● ● ●

- Living flame effect
- 'Real fire' look




Radiant

Efficiency: 81 - 89%
Mains Gas

BC PF PCF NC
● ● ● ●

- Traditional look
- Value product
- High output




Dimension Electric

Efficiency: 100%
No Gas Needed

BC PF PCF NC
● ● ● ●

- Holographic technology
- Best electric flame effect
- Slimline fire




Solid Fuel Stoves

Efficiency: 76 - 79%
Carbon neutral

BC PF PCF NC
● ● ● ●

- Real fire experience
- High output



High Efficiency

Valor's dedicated research and development facility combines the latest technology with innovative techniques to ensure our products offer the highest possible efficiency. This not only helps consumers meet energy targets, but also keeps running costs to a minimum.

Gas

Gas fires are a great way to help to reduce the overall fuel usage in the home. They offer an effective way of heating the space you are living in which allows the central heating to be turned down or even off. Gas fires deliver heat in two modes, radiant and convection. They do not need electricity so you have a secure option for heat in power outages or boiler breakdowns. Our Homeflame range of gas fires are amongst some of the most efficient gas fires available and will help you save on running costs while our balanced flue and radiant gas fires also offer impressive efficiencies.

Electric

All electric fires are 100% efficient at point of use, which means for every kW of energy used you get the same kW heat output from the fire.



Range options and chimney types

Contents

	Introduction - Quality Reigns Supreme	1
	A Simple Guide & Chimney Guide	3
Gas	Homeflame	6
	Modenza Homeflame	7
	Trueflame Full Depth Homeflame	9
	Dream Full Depth Homeflame	14
	Petrus Full Depth Homeflame	15
	Harmony Full Depth Homeflame	16
	Blenheim Slimline Homeflame	17
	Dream Slimline Homeflame	18
	Petrus Slimline Homeflame	19
Gas	Inset	20
	Trueflame Full Depth Convector	21
	Dream Full Depth Convector	26
	Airflame Convector	27
	Blenheim Full Depth	32
	Blenheim Slimline	33
	Dream Slimline Convector	34
	Seattle Slimline	35
	Majestic Decorative	36
	Blakely Landscape	37
	Dream Balanced Flue	39
Gas	Outset	40
	Valentia Balanced Flue	41
	Heartbeat	42
	Black Beauty Slimline	43
	Firecharm LFE Electronic	44
	Sahara LFE Electronic	45
	Firecharm RS Electronic	46

Gas	Radiant	47
	Black Beauty Radiant	48
	Brava Radiant	49
	Firelite Radiant	50
	Firegem Visa Highline	51
	Firegem Visa	52
	Firegem Visa Deluxe & Highline Deluxe	53
	Sahara Radiant	54
Electric	Dimension	55
	Blenheim Slimline Dimension	56
	Downton Slimline Dimension	57
	Glendale Dimension Electric Stove	58
	Dream Slimline Dimension	59
Solid Fuel	Solid Fuel Stoves	60
	Brunswick	61
	Baltimore	62
	Ridlington	63
Gas	Wall Heaters	64
	Brazilia F5	65
	Brazilia F5S	66
	Brazilia F8S	67
	Brazilia F8ST	68
	Technical Information	69
	Technology	70
	Trueflame and Airflame Mix & Match Options	71
	Fireplace Openings	72
	Technical Information	73



Homeflame Gas Fires



Showroom
Exclusive



Modenza Homeflame FS Black

FireSlide®



Modenza Homeflame

Combining contemporary good looks with high heat efficiency, the Modena glass fronted gas fire can transform your living space. This stylish model provides an impressive 3.8kW heat output with a 75% efficiency and promises the flame realism of a real fire with a log fuel effect and dancing flames. The Modena comes complete with a unique Fireslide control which is located at the bottom of the fire for easy operation and enhanced control of the heat output. Available in a chrome, black or brushed chrome finish to suit most décors, it is the perfect centrepiece for any home and can also be fitted within a surround or wall-mounted as shown to suit individual preference.

Features:

Max Heat Output: 3.8kW

Nett Efficiency Rating: 75%

Gas Type: NG

Control Type: Fireslide

Dimensions: (HxWxD)

Engine - 470 x 646 x 293mm

Trim - 501 x 677 x 10mm

Chimney Required: BC

Product Code	Model	Colour Option
0560011	Modenza Homeflame FS	Black
0560012	Modenza Homeflame FS	Brushed Chrome
0560013	Modenza Homeflame FS	Chrome



Black



Brushed Chrome



Chrome



Fireslide control



Modenza Homeflame Gas Fire

Showroom
Exclusive

Trueflame
MIX & MATCH

Trueflame FD Homeflame Full Trim - Blenheim Chrome

FireSlide®



Trueflame Full Depth Homeflame

The Trueflame full depth Homeflame range offers a choice of trims and frets which provide a truly striking centrepiece for any room. This glass fronted model boasts a super efficiency of 85% with a powerful 3.85kW heat output. Complete with Fireslide control, this fire combines contemporary good looks with a realistic coal effect fuel bed and flames. Available with a choice of either full or half trim in brass or chrome, you can also choose from two fret designs – Blenheim and Downton in brass or chrome to suit any preference.

Features:

Max Heat Output: 3.85kW

Nett Efficiency Rating: 85%

Gas Type: NG

Control Type: Fireslide

Dimensions: (HxWxD)

Full Trim - 621 x 522 x 186mm (Engine depth)

Half Trim - 610 x 500 x 186mm (Engine depth)

Chimney Required: BC, PF

Product Code	Model	Colour Option
0596142	Trueflame FD Homeflame Full Trim	Brass
0596152	Trueflame FD Homeflame Full Trim	Chrome
0596162	Trueflame FD Homeflame Half Trim	Brass
0596172	Trueflame FD Homeflame Half Trim	Chrome
055866	Blenheim Fret	Brass
055873	Blenheim Fret	Chrome
055927	Downton Fret	Brass
055934	Downton Fret	Chrome



Full Trim
Blenheim Brass



Full Trim
Blenheim Chrome



Half Trim
Blenheim Brass



Half Trim
Blenheim Chrome



Full Trim
Downton Brass



Full Trim
Downton Chrome



Half Trim
Downton Brass



Half Trim
Downton Chrome



Trueflame Full Depth Homeflame Gas Fire

Showroom
Exclusive



FireSlide®

Trueflame FD Homeflame Full Trim - Downton Brass

Trueflame Full Depth Homeflame

The Trueflame full depth Homeflame range offers a choice of trims and frets which provide a truly striking centrepiece for any room. This glass fronted model boasts a super efficiency of 85% with a powerful 3.85kW heat output. Complete with Fireslide control, this fire combines contemporary good looks with a realistic coal effect fuel bed and flames. For the range of trims & frets available with this model see page 8.

Features:

Max Heat Output: 3.85kW

Nett Efficiency Rating: 85%

Gas Type: NG

Control Type: Fireslide

Dimensions: (HxWxD) 621 x 522 x 186mm (Engine depth)

Chimney Required: BC, PF

Product Code	Model	Colour Option
0596142	Trueflame FD Homeflame Full Trim	Brass
0596152	Trueflame FD Homeflame Full Trim	Chrome
055927	Downton Fret	Brass
055934	Downton Fret	Chrome



Downton Chrome

Trueflame Full Depth Homeflame Gas Fire

Trueflame Full Depth Homeflame

The Trueflame full depth Homeflame range offers a choice of trims and frets which provide a truly striking centrepiece for any room. This glass fronted model boasts a super efficiency of 85% with a powerful 3.85kW heat output. Complete with Fireslide control, this fire combines contemporary good looks with a realistic coal effect fuel bed and flames. For the range of trims & frets available with this model see page 8.

Features:

Max Heat Output: 3.85kW

Nett Efficiency Rating: 85%

Gas Type: NG

Control Type: Fireslide


Dimensions: (HxWxD) 610 x 500 x 186mm (Engine depth)

Chimney Required: BC, PF

Product Code	Model	Colour Option
0596162	Trueflame FD Homeflame Half Trim	Brass
0596172	Trueflame FD Homeflame Half Trim	Chrome
055866	Blenheim Fret	Brass
055873	Blenheim Fret	Chrome



Blenheim Chrome



Trueflame FD Homeflame Half Trim - Blenheim Brass

FireSlide®



Trueflame Full Depth Homeflame Gas Fire

Showroom
Exclusive



FireSlide®

Trueflame FD Homeflame Half Trim - Downton Chrome

Trueflame Full Depth Homeflame

The Trueflame full depth Homeflame range offers a choice of trims and frets which provide a truly striking centrepiece for any room. This glass fronted model boasts a super efficiency of 85% with a powerful 3.85kW heat output. Complete with Fireslide control, this fire combines contemporary good looks with a realistic coal effect fuel bed and flames. For the range of trims & frets available with this model see page 8.

Features:

Max Heat Output: 3.85kW

Nett Efficiency Rating: 85%

Gas Type: NG

Control Type: Fireslide

Dimensions: (HxWxD) 610 x 500 x 186mm (Engine depth)

Chimney Required: BC, PF

Product Code	Model	Colour Option
0596162	Trueflame FD Homeflame Half Trim	Brass
0596172	Trueflame FD Homeflame Half Trim	Chrome
055927	Downton Fret	Brass
055934	Downton Fret	Chrome



Downton Brass

Trueflame Full Depth Homeflame Gas Fire

Dream Full Depth Homeflame

The Dream full depth Homeflame is a traditionally styled gas fire available in black, chrome or pale gold to suit any room setting. With an impressive heat output of 3.85kW and a super high efficiency of 85%, this fire really does offer all the heat you need. This glass fronted model offers a realistic coal effect fuel bed which creates the look and feel of a real fire. The Dream is easy to operate with its Fireslide control positioned at the top of the fire which requires little effort to ignite or adjust the fire setting.

Features:

Max Heat Output: 3.85kW

Nett Efficiency Rating: 85%

Gas Type: NG

Control Type: Fireslide

Dimensions: (HxWxD) 636 x 518 x 186mm (Engine depth)

Chimney Required: BC, PF

Product Code	Model	Colour Option
0576121	Dream Full Depth Homeflame	Black
0576111	Dream Full Depth Homeflame	Chrome
0576101	Dream Full Depth Homeflame	Pale Gold



Black



Chrome



Pale Gold

FireSlide®



Dream Full Depth Homeflame Gas Fire



FireSlide®

Black Chrome

Petrus Full Depth Homeflame

The Petrus full depth Homeflame gas fire offers a contemporary hand polished cast fascia available in a stunning black chrome or silver chrome finish with matt black louvres. Boasting an impressive 3.85kW heat output and an exceptional efficiency of 85%, this model comes complete with Fireslide control for easy operation. The Petrus is a glass fronted model which offers a deep coal effect fuel bed that provides a realistic flame effect and warm glow and is the perfect centrepiece for any room.

Features:

Max Heat Output: 3.85kW

Nett Efficiency Rating: 85%

Gas Type: NG

Control Type: Fireslide

Dimensions: (HxWxD) 636 x 518 x 186mm (Engine depth)

Chimney Required: BC, PF

Product Code	Model	Colour Option
05961E1	Petrus Full Depth Homeflame	Black Chrome
0596191	Petrus Full Depth Homeflame	Silver Chrome



Silver Chrome

Petrus Full Depth Homeflame Gas Fire

Harmony Full Depth Homeflame

The Harmony full depth Homeflame gas fire offers both modern design and high efficiency. It is available in a choice of finishes - black, champagne or silver with the option of wall mounting or fitting within a surround. This glass fronted model offers a coal effect fuel bed which complements the bar detailing and provides a realistic flame picture even on low setting.

Features:

Max Heat Output: 3.85kW

Nett Efficiency Rating: 85%

Gas Type: NG

Control Type: Fireslide

Dimensions: (HxWxD) 631 x 546 x 186mm (Engine depth)

Chimney Required: BC, PF

Product Code	Model	Colour Option
0576141	Harmony Full Depth Homeflame	Black
0576161	Harmony Full Depth Homeflame	Champagne
0576131	Harmony Full Depth Homeflame	Silver



Champagne



Silver



Harmony Full Depth Homeflame Gas Fire



Blenheim Slimline Homeflame

The Blenheim slimline Homeflame gas fire is the perfect choice for those rooms that require more heat without sacrificing realism. This glass fronted fire delivers a super high efficiency of 80% together with a heat output of 3.1kW and due to its slimline design it is suitable for all chimney installations. This model is available with manual control and comes in a brass/black finish to create the perfect centrepiece.

Features:

Max Heat Output: 3.1kW

Nett Efficiency Rating: 80%

Gas Type: NG

Control Type: Manual

Dimensions: (HxWxD) 612 x 505 x 79mm (Engine depth)

Chimney Required: BC, PF, PCF

Product Code	Model	Colour Option
0596411	Blenheim Slimline Homeflame	Brass



Brass

Blenheim Slimline Homeflame Gas Fire

Dream Slimline Homeflame

New technology combines the benefits of efficient heating with the traditional Dream look to create a stunning glass fronted fire suitable for all chimneys and flues. With an inset depth of just 79mm it is the slimmest HE inset living flame fire available. Impressive heat output, Fireslide control, reflective sides, choice of colours and coal effect fuel bed make this the obvious choice in terms of style and usability.

Features:

Max Heat Output: 3.1kW

Nett Efficiency Rating: 80%

Gas Type: NG

Control Type: Fireslide

Dimensions: (HxWxD) 636 x 518 x 79mm (Engine depth)

Chimney Required: BC, PF, PCF

Product Code	Model	Colour Option
0596331	Dream Slimline Homeflame	Black
0596321	Dream Slimline Homeflame	Chrome
0596311	Dream Slimline Homeflame	Pale Gold



Black



Pale Gold



Chrome

FireSlide®



Dream Slimline Homeflame Gas Fire



FireSlide®

Silver Chrome

Petrus Slimline Homeflame

The contemporary choice in the Homeflame slimline range, Petrus has a polished cast fascia and is available in black chrome or silver chrome finishes. This glass fronted model has reflective sides which gives the illusion of a deeper fuel bed. With the same impressive slim profile, heat output, Fireslide control and crafted coal bed, Petrus never fails to delight.

Features:

Max Heat Output: 3.1kW

Nett Efficiency Rating: 80%

Gas Type: NG

Control Type: Fireslide

Dimensions: (HxWxD) 636 x 518 x 79mm (Engine depth)

Chimney Required: BC, PF, PCF

Product Code	Model	Colour Option
0596351	Petrus Slimline Homeflame	Black Chrome
0596341	Petrus Slimline Homeflame	Silver Chrome



Black Chrome

Petrus Slimline Homeflame Gas Fire

Inset Gas Fires



Showroom
Exclusive

Trueflame
MIX & MATCH



Trueflame FD Convector Half Trim - Downton Brass

FireSlide® 

Trueflame Full Depth Convector

The Trueflame full depth convector range provides increased flexibility when it comes to choosing a gas fire. Available with a choice of either full or half trim in brass or chrome, this fire comes complete with a coal effect fuel bed that provides a realistic flame picture and glow. The Trueflame convector model boasts a powerful 4.0kW heat output with a generous 64% efficiency and Fireslide control for easy operation. For even greater choice, there are two fret options – Blenheim & Downton – both available in brass or chrome to provide a perfect match for surrounding decor.

Features:

Max Heat Output: 4.0kW

Nett Efficiency Rating: 64%

Gas Type: NG & LPG

Control Type: Fireslide

Dimensions: (HxWxD)

Full Trim - 621 x 522 x 235mm (Engine depth)

Half Trim - 610 x 500 x 235mm (Engine depth)

Chimney Required: BC, PF

Product Code	Model	Colour Option
0594062	Trueflame FD Convector Full Trim	Brass
0594072	Trueflame FD Convector Full Trim	Chrome
0594082	Trueflame FD Convector Half Trim	Brass
0594092	Trueflame FD Convector Half Trim	Chrome
055866	Blenheim Fret	Brass
055873	Blenheim Fret	Chrome
055927	Downton Fret	Brass
055934	Downton Fret	Chrome
0595211	LPG Kit	



Full Trim
Blenheim Brass



Full Trim
Blenheim Chrome



Half Trim
Blenheim Brass



Half Trim
Blenheim Chrome



Full Trim
Downton Brass



Full Trim
Downton Chrome



Half Trim
Downton Brass



Half Trim
Downton Chrome



Trueflame Full Depth Convectors Inset Gas Fire

Showroom
Exclusive



FireSlide®

Trueflame FD Convector Full Trim - Blenheim Brass

Trueflame Full Depth Convector

The Trueflame full depth convector range provides increased flexibility when it comes to choosing a gas fire. Available with a choice of either full or half trim in brass or chrome, this fire comes complete with a coal effect fuel bed that provides a realistic flame picture and glow. The Trueflame convector model boasts a powerful 4.0kW heat output with a generous 64% efficiency and Fireslide control for easy operation. For the range of trims & frets available with this model see page 20.

Features:

Max Heat Output: 4.0kW

Nett Efficiency Rating: 64%

Gas Type: NG & LPG

Control Type: Fireslide

Dimensions: (HxWxD) 621 x 522 x 235mm (Engine depth)

Chimney Required: BC, PF

Product Code	Model	Colour Option
0594062	Trueflame FD Convector Full Trim	Brass
0594072	Trueflame FD Convector Full Trim	Chrome
055866	Blenheim Fret	Brass
055873	Blenheim Fret	Chrome
0595211	LPG Kit	



Blenheim Chrome

Trueflame Full Depth Convector Inset Gas Fire

Trueflame Full Depth Convector

The Trueflame full depth convector range provides increased flexibility when it comes to choosing a gas fire. Available with a choice of either full or half trim in brass or chrome, this fire comes complete with a coal effect fuel bed that provides a realistic flame picture and glow. The Trueflame convector model boasts a powerful 4.0kW heat output with a generous 64% efficiency and Fireslide control for easy operation. For the range of trims & frets available with this model see page 20.

Features:

Max Heat Output: 4.0kW

Nett Efficiency Rating: 64%

Gas Type: NG & LPG

Control Type: Fireslide

Dimensions: (HxWxD) 621 x 522 x 235mm (Engine depth)

Chimney Required: BC, PF

Product Code	Model	Colour Option
0594062	Trueflame FD Convector Full Trim	Brass
0594072	Trueflame FD Convector Full Trim	Chrome
055927	Downton Fret	Brass
055934	Downton Fret	Chrome
0595211	LPG Kit	



Downton Brass



Trueflame FD Convector Full Trim - Downton Chrome

FireSlide®



Trueflame Full Depth Convector Inset Gas Fire

Showroom
Exclusive



FireSlide®

Trueflame FD Convector Half Trim - Blenheim Chrome

Trueflame Full Depth Convector

The Trueflame full depth convector range provides increased flexibility when it comes to choosing a gas fire. Available with a choice of either full or half trim in brass or chrome, this fire comes complete with a coal effect fuel bed that provides a realistic flame picture and glow. The Trueflame convector model boasts a powerful 4.0kW heat output with a generous 64% efficiency and Fireslide control for easy operation. For the range of trims & frets available with this model see page 20.

Features:

Max Heat Output: 4.0kW

Nett Efficiency Rating: 64%

Gas Type: NG & LPG

Control Type: Fireslide

Dimensions: (HxWxD) 610 x 500 x 235mm (Engine depth)

Chimney Required: BC, PF

Product Code	Model	Colour Option
0594082	Trueflame FD Convector Half Trim	Brass
0594092	Trueflame FD Convector Half Trim	Chrome
055866	Blenheim Fret	Brass
055873	Blenheim Fret	Chrome
0595211	LPG Kit	



Blenheim Brass

Trueflame Full Depth Convector Inset Gas Fire

Dream Full Depth Convector

For those homes that require more heat, the Dream Convector gas fire is the perfect choice. This model offers radiant convected heat through means of convection and delivers an impressive 4.0kW heat output with a 64% efficiency. Available in black, chrome or a pale gold finish this model enables you to create your own centerpiece. Fireslide control guarantees ease of operation every time and a realistic deep coal bed with glowing flames further increases the appeal of this fire.

Features:

Max Heat Output: 4.0kW

Nett Efficiency Rating: 64%

Gas Type: NG & LPG

Control Type: Fireslide

Dimensions: (HxWxD) 636 x 518 x 235mm (Engine depth)

Chimney Required: BC, PF

Product Code	Model	Colour Option
05740N1	Dream Full Depth Convector	Black
05740M1	Dream Full Depth Convector	Chrome
05740L1	Dream Full Depth Convector	Pale Gold
0595211	LPG Kit	



Black



Chrome



Pale Gold

FireSlide®



Dream Full Depth Convector Inset Gas Fire

Showroom
Exclusive

airflame
MIX & MATCH



Airflame Inlay Trim - Downton Chrome



activeheat™

Airflame Convector Range

The Airflame mix and match range offers unrivalled choice, pairing Valor's popular Airflame engine with a choice of frets and trims. You can choose from a manual or remote control Airflame engine with its unique ceramic burner and unbeatable realism which provides an impressive 3.7kW heat output with 59% efficiency. Both engines come with a choice of full or inlay trim, available in brass or chrome. The Airflame range can be matched with a choice of two fret designs in brass or chrome – Blenheim and Downton to suit individual tastes.

Features:

Max Heat Output: 3.7kW

Nett Efficiency Rating: 59%

Gas Type: NG & LPG

Control Type: Manual & Remote Control

Dimensions: (HxWxD) 600 x 522 x 254mm (Engine depth)

Chimney Required: BC, PF

Product Code	Model	Colour Option
0505501	Airflame Manual Convector Full Trim	Brass
0505502	Airflame Manual Convector Full Trim	Chrome
0505503	Airflame Manual Convector Inlay Trim	Brass
0505505	Airflame Manual Convector Inlay Trim	Chrome
0505703	Airflame Remote Convector Full Trim	Brass
0505704	Airflame Remote Convector Full Trim	Chrome
0505706	Airflame Remote Convector Inlay Trim	Brass
0505707	Airflame Remote Convector Inlay Trim	Chrome
055866	Blenheim Fret	Brass
055873	Blenheim Fret	Chrome
055927	Downton Fret	Brass
055934	Downton Fret	Chrome
9500365	LPG Kit Manual	
9500376	LPG Kit Remote	



Full Trim
Blenheim Brass



Full Trim
Blenheim Chrome



Inlay Trim
Blenheim Brass



Inlay Trim
Blenheim Chrome



Full Trim
Downton Brass



Full Trim
Downton Chrome



Inlay Trim
Downton Brass



Inlay Trim
Downton Chrome



Airflame Convector Inset Gas Fire

Showroom
Exclusive



Airflame Full Trim - Blenheim Chrome

Airflame Convector Range

The Airflame mix and match range offers unrivalled choice, pairing Valor's popular Airflame engine with a choice of frets and trims. You can choose from a manual or remote control Airflame and for the range of trims & frets available with this model see page 26.

Features:

Max Heat Output: 3.7kW

Nett Efficiency Rating: 59%

Gas Type: NG & LPG

Control Type: Manual & Remote Control

Dimensions: (HxWxD) 600 x 522 x 254mm (Engine depth)

Chimney Required: BC, PF

Product Code	Model	Colour Option
0505501	Airflame Manual Convector Full Trim	Brass
0505502	Airflame Manual Convector Full Trim	Chrome
0505703	Airflame Remote Convector Full Trim	Brass
0505704	Airflame Remote Convector Full Trim	Chrome
055866	Blenheim Fret	Brass
055873	Blenheim Fret	Chrome
9500365	LPG Kit Manual	
9500376	LPG Kit Remote	



Blenheim Brass



Remote control

Airflame Convector Inset Gas Fire

Airflame Convector Range

The Airflame mix and match range offers unrivalled choice, pairing Valor's popular Airflame engine with a choice of frets and trims. You can choose from a manual or remote control Airflame and for the range of trims & frets available with this model see page 26.

Features:

Max Heat Output: 3.7kW

Nett Efficiency Rating: 59%

Gas Type: NG & LPG

Control Type: Manual & Remote Control

Dimensions: (HxWxD) 600 x 522 x 254mm (Engine depth)

Chimney Required: BC, PF

Product Code	Model	Colour Option
0505501	Airflame Manual Convector Full Trim	Brass
0505502	Airflame Manual Convector Full Trim	Chrome
0505703	Airflame Remote Convector Full Trim	Brass
0505704	Airflame Remote Convector Full Trim	Chrome
055927	Downton Fret	Brass
055934	Downton Fret	Chrome
9500365	LPG Kit Manual	
9500376	LPG Kit Remote	



Downton Chrome



Remote control




Airflame Full Trim - Downton Brass



Airflame Convector Inset Gas Fire

Showroom
Exclusive



Airflame Inlay Trim - Blenheim Brass

Airflame Convector Range

The Airflame mix and match range offers unrivalled choice, pairing Valor's popular Airflame engine with a choice of frets and trims. You can choose from a manual or remote control Airflame and for the range of trims & frets available with this model see page 26.

Features:

Max Heat Output: 3.7kW

Nett Efficiency Rating: 59%

Gas Type: NG & LPG

Control Type: Manual & Remote Control

Dimensions: (HxWxD) 600 x 522 x 254mm (Engine depth)

Chimney Required: BC, PF

Product Code	Model	Colour Option
0505503	Airflame Manual Convector Inlay Trim	Brass
0505505	Airflame Manual Convector Inlay Trim	Chrome
0505706	Airflame Remote Convector Inlay Trim	Brass
0505707	Airflame Remote Convector Inlay Trim	Chrome
055866	Blenheim Fret	Brass
055873	Blenheim Fret	Chrome
9500365	LPG Kit Manual	
9500376	LPG Kit Remote	



Blenheim Chrome



Remote control

Airflame Convector Inset Gas Fire

Blenheim Full Depth

The Blenheim gas fire offers traditional design and emulates a real fire in every way. Offering a 3.8kW heat output with a 61% efficiency, this model provides a classical look for any room. The Blenheim is also available in a slimline model which is suitable for all chimney types.

Features:

Max Heat Output: 3.8kW

Nett Efficiency Rating: 61%

Gas Type: NG & LPG

Control Type: Manual

Dimensions: (HxWxD) 599 x 492 x 186mm

Chimney Required: BC, PF

Product Code	Model	Colour Option
0594151	Blenheim Full Depth	Brass
0595211	LPG Kit	



Brass



Blenheim Full Depth Inset Gas Fire



Chrome

Blenheim Slimline

The Blenheim slimline gas fire offers a traditional classic design available in brass, chrome or black to compliment any interior style. This model offers a 3.1kW heat output with 56% efficiency and provides a stunning and realistic flame picture. The Blenheim is available in natural gas and can be also be used on LPG and is suitable for all chimney installations.

Features:

Max Heat Output: 3.1kW

Nett Efficiency Rating: 56%

Gas Type: NG & LPG

Control Type: Manual

Dimensions: (HxWxD) 585 x 450 x 115mm

Chimney Required: BC, PF, PCF

Product Code	Model	Colour Option
05956D7	Blenheim Slimline	Black
0595661	Blenheim Slimline	Brass
05956D6	Blenheim Slimline	Chrome
0595221	LPG Kit	



Black



Brass

Blenheim Slimline Inset Gas Fire

Dream Slimline Convector

The Dream slimline Convector gas fire allows modern homes with shallow flues to enjoy the classic looks of the Dream. This model offers both radiant and Activeheat™ through the means of convection by drawing cold air in from the room, passing it through a heat exchanger to warm it up and back out into the room providing exceptional heat output.

Features:

Max Heat Output: 3.3kW

Nett Efficiency Rating: 61%

Gas Type: NG & LPG

Control Type: Fireslide

Dimensions: (HxWxD) 636 x 518 x 135mm

Chimney Required: BC, PF, PCF

Product Code	Model	Colour Option
05750U1	Dream Slimline Convector	Black
05750T1	Dream Slimline Convector	Chrome
05750S1	Dream Slimline Convector	Pale Gold
0595221	LPG Kit	



Pale Gold



Black

Chrome



Dream Slimline Convector Inset Gas Fire



Seattle Slimline

The Seattle gas fire is the ideal choice for any contemporary interior. Available in a brushed steel finish with a curved front and a beautiful pebble fuel bed, this models offers minimalist design that will inspire creativity. The Seattle offers a 3.1kW heat output with a 56% efficiency and has a discreet manual control to adjust the heat and flames.

Features:

Max Heat Output: 3.1kW

Nett Efficiency Rating: 56%

Gas Type: NG & LPG

Control Type: Manual

Dimensions: (HxWxD) 588 x 450 x 115mm

Chimney Required: BC, PF, PCF

Product Code	Model	Colour Option
0595603	Seattle Slimline	Brushed Steel
0595221	LPG Kit	



Brushed Steel

Seattle Slimline Inset Gas Fire

Majestic Decorative

The Majestic is a stylish Decorative gas fire (DGF) that provides almost endless interior design options - a coal fuel bed with black fire front. DGFs can be used in large chimney openings to create a realistic open fire look as unlike inset fires, they consist of just the fire basket, without the "box" unit surrounding it, giving all the charm and appeal of a real fire without the hassle.

Features:

Max Heat Input: 6.85kW

Gas Type: NG & LPG

Control Type: Manual Control

Dimensions: (HxWxD) n/a x 380 x 193mm

Chimney Required: BC, PF

Product Code	Model	Colour Option
0593901	Coal Engine	Black
5135862	Majestic Firefront	Black Front
0595211	LPG Kit	



Black Coal Engine



Black



Majestic Decorative Inset Gas Fire



Blakely Landscape

Combining ultra contemporary good looks with high heat efficiency, Blakely Landscape will help transform your living area into an oasis of style and an up-to-the-minute design statement. Boasting a distinctive landscape design with brushed chrome finish and black trim, this model can be either floor or wall-mounted to suit individual style and preference, whilst a panoramic driftwood/pebble fuel bed presents a visual delight. Suitable for brick chimneys only, Blakely Landscape provides 84% heat efficiency with an impressive 4.3kW heat output. Remote control comes as standard.

Features:

Max Heat Output: 4.3kW

Min Heat Output: 1.4kW

Nett Efficiency Rating: 84%

Gas Type: NG & LPG

Control Type: Remote Control

Dimensions: (HxWxD)

Fascia - 680 x 930 x 128mm

Engine Depth - 312mm

Chimney Required: BC

Product Code	Model	Colour
05762T1	Blakely Landscape	Brushed Chrome
0595271	LPG Kit	



Brushed Chrome



Remote Control



Blakely Landscape Gas Fire



Black

Dream Balanced Flue

The classic looks of the Dream can be enjoyed in those homes that do not have a chimney. Suitable for installation on an outside wall and complete with an integral glass front, this model delivers an impressive heat efficiency of 84%, together with a heat output of 2.8kW.

Features:

Max Heat Output: 2.8kW

Nett Efficiency Rating: 84%

Gas Type: NG

Control Type: Manual Control on/off
& Top Control for heat output

Dimensions: (HxWxD) 636 x 518 x 110mm

Chimney Required: No chimney required

Product Code	Model	Colour Option
05541G1	Dream Balanced Flue	Black
05541F1	Dream Balanced Flue	Chrome
05541E1	Dream Balanced Flue	Pale Gold
0595131	3" Spacer Kit	Black
0595121	5" Spacer Kit	Black



Pale Gold



Chrome

Dream Balanced Flue Inset Gas Fire



Outset Gas Fires





Valentia Balanced Flue

Available in a classic black design with chrome finish, Valentia 88% efficiency with a 3.57kW heat output and has a top positioned control which offers a choice of four heat settings. This glass fronted living flame effect model is fitted with heat exchanger technology and can be either floor or wall mounted for added flexibility. It also has electronic ignition for ease of use and a disability-friendly control handle comes as standard.

Features:

Max Heat Output: 3.57kW

Nett Efficiency Rating: 88%

Gas Type: NG

Control Type: Electronic Top Control

Dimensions: (HxWxD) 633 x 646 x 273mm

Chimney Required: No chimney or flue required

Product Code	Model	Colour Option
0547401	Valentia Balanced Flue	Black/Chrome
SP993241	Short Flue 75mm/203mm	
SP993240	Medium Flue 200mm/356mm	
SP993239	Long Flue 356mm/510mm	

Note: Medium flue is supplied with the Valentia



Black/Chrome



Disability control handle

Valentia Balanced Flue Outset Gas Fire

Heartbeat

The Heartbeat gas fire is at home in any room and boasts a 3.6kW heat output with an efficiency of 78%. This model provides exceptional reliability, performance and easy operation with its top side control. The Heartbeat is a stylish glass fronted gas fire that shows off its real flame effect fuel bed beautifully. Available in a black/brass finish this gas fire is a popular choice and is suitable for all chimney installations.

Features:

Max Heat Output: 3.6kW

Nett Efficiency Rating: 78%

Gas Type: NG

Control Type: Side Control

Dimensions: (HxWxD) 643 x 632 x 212mm

Chimney Required: BC, PF, PCF

Product Code	Model	Colour Option
0533901	Heartbeat	Black & Brass



Black & Brass



Heartbeat Outset Gas Fire



Black Beauty Slimline

The Black Beauty Slimline gas fire offers excellent performance, coupled with superb economy. Providing a 4.0kW heat output with an 88% efficiency, this model features a side control for easy operation. Complete with a pagoda shaped canopy in black with brass detailing, the Black Beauty Slimline offers a realistic flame picture and glow and adds ambience and character to any room setting.

Features:

Max Heat Output: 4.0kW

Nett Efficiency Rating: 88%

Gas Type: NG

Control Type: Side Control

Dimensions: (HxWxD) 655 x 657 x 247mm

Chimney Required: BC, PF, PCF

Product Code	Model	Colour Option
0534101	Black Beauty Slimline	Black & Brass



Black & Brass



Control handle

Black Beauty Slimline Outset Gas Fire

Firecharm LFE Electronic

Good looks and living flame technology make the glass fronted Firecharm LFE a popular choice. Combining an impressive heat efficiency of 88% with a powerful 4.4kW heat output, this model also boasts electronic ignition for ease of operation. Determining flame effect and heat output, the top positioned heat control features four heat positions and a special disabled control handle comes as standard.

Features:

Max Heat Output: 4.4kW

Nett Efficiency Rating: 88%

Gas Type: NG

Control Type: Top Electronic Control

Dimensions: (HxWxD) 635 x 650 x 241mm

Chimney Required: BC, PF, PCF

Product Code	Model	Colour Option
A98003	Firecharm LFE Electronic	Black
A98004	Firecharm LFE Electronic	Bronze



Bronze



Disability control handle



Black



Firecharm LFE Electronic Outset Gas Fire



Bronze

Sahara LFE Electronic

The Sahara LFE features a distinctive canopy in a pewter or bronze finish and this glass-fronted model combines good looks with living flame technology. With an impressive heat efficiency of 88% and a powerful 4.4kW heat output, it is ideal for those rooms that require maximum heat. Boasting electronic ignition for ease of operation, the top positioned control features four heat positions.

Features:

Max Heat Output: 4.4kW

Nett Efficiency Rating: 88%

Gas Type: NG

Control Type: Top Electronic Control

Dimensions: (HxWxD) 643 x 727 x 250mm

Chimney Required: BC, PF, PCF

Product Code	Model	Colour Option
A97029	Sahara LFE Electronic	Pewter
A97030	Sahara LFE Electronic	Bronze



Pewter



Disability control handle

Sahara LFE Electronic Outset Gas Fire

Firecharm RS Electronic

For homes without a chimney, the Firecharm RS is ideal. Combining an impressive heat efficiency of 88% with a powerful 3.57kW heat output, this glass fronted living flame effect model also boasts electronic ignition for ease of operation. The top positioned heat control determines flame effect and heat output with a choice of four heat positions.

Features:

Max Heat Output: 3.57kW

Nett Efficiency Rating: 88%

Gas Type: NG

Control Type: Top Electronic Control

Dimensions: (HxWxD) 633 x 646 x 273mm

Chimney Required: No chimney required

Product Code	Model	Colour Option
A99027	Firecharm RS Electronic	Black
A99028	Firecharm RS Electronic	Bronze
SP993241	Short Flue 75mm/203mm	
SP993240	Medium Flue 200mm/356mm	
SP993239	Long Flue 356mm/510mm	

Note: Medium flue is supplied with the Firecharm RS



Black



Disability control handle



Firecharm RS Electronic Outset Gas Fire

Radiant Gas Fires



Black Beauty Radiant

The Black Beauty radiant gas fire is exceptionally efficient and economical boasting a 4.0kW heat output with an efficiency of 81%. This model is available with a choice of either manual top control or electronic ignition and the control handle is raised to provide easy operation. Available in a black finish with brass detailing, this is a popular choice for homes that require high heat performance and low running costs.

Features:

Max Heat Output: 4.0kW

Nett Efficiency Rating: 81%

Gas Type: NG

Control Type: Top Manual & Electronic control

Dimensions: (HxWxD) 625 x 657 x 204mm

Chimney Required: BC, PF, PCF

Product Code	Model	Colour Option
05347A1	Black Beauty Radiant	Black
05347E2	Black Beauty Radiant Electronic	Black



Black



Control handle



Black Beauty Radiant Gas Fire



Brava Radiant

The Brava radiant gas fire is a favourite when it comes to offering superb levels of performance at very low running costs. Boasting an 81% efficiency with a 4.0kW heat output, the Brava forms part of our high efficiency range of gas fires and offers all the warmth you will need. It is available with a choice of manual top control or electronic ignition to enable easy operation. Featuring classic teak side and top wood panels, this model compliments a wide variety of room settings and can be hearth or wall mounted.

Features:

Max Heat Output: 4.0kW

Nett Efficiency Rating: 81%

Gas Type: NG

Control Type: Top Manual or Electronic Control

Dimensions: (HxWxD) 610 x 713 x 193mm

Chimney Required: BC, PF, PCF

Product Code	Model	Colour Option
0534701	Brava Radiant	Teak
05347E1	Brava Radiant Electronic	Teak



Teak



Control

Brava Radiant Gas Fire

Firelite Radiant

The Firelite radiant gas fire ensures a truly impressive performance offering a 4.0kW heat output with an efficiency of 81%. The Firelite offers a cost effective heating solution that does not compromise on style or reliability, making it an ideal choice. It is available with a choice of manual top control or electronic ignition which enables simple operation. The Firelite can be hearth or wall mounted and is suitable for brick chimneys, precast and pre-fabricated flues.

Features:

Max Heat Output: 4.0kW

Nett Efficiency: 81%

Gas Type: NG

Control Type: Top Manual or Electronic Control

Dimensions: (HxWxD) 633 x 620 x 205mm

Chimney Required: BC, PF, PCF

Product Code	Model	Colour Option
0534761	Firelite Radiant	Black
0534771	Firelite Radiant Electronic	Black



Black



Control handle



Firelite Radiant Gas Fire



Black/Chrome

Firegem Visa Highline

The Firegem Visa range offers the ultimate in safety, reliability and performance. Featuring heat exchanger technology and boasting 89% efficiency with a powerful 4.87kW heat output, this model features a top positioned heat control for ease of use. A special disabled control handle also comes as standard. Suitable for chimneys, pre-fabricated and precast flues, it is available in a range of colours and comes fitted with the RW Safeguard safety system for peace of mind.

Features:

Max Heat Output: 4.87kW

Nett Efficiency Rating: 89%

Gas Type: NG

Control Type: Top Control (Electronic on A85044)

Dimensions: (HxWxD) 622 x 660 x 196mm

Chimney Required: BC, PF, PCF

Product Code	Model	Colour Option
A85034	Firegem Visa Highline	Olive
A85035	Firegem Visa Highline	Black/Brass
A85056	Firegem Visa Highline	Black/Chrome
A85044	Firegem Visa Highline Electronic	Black/Brass



Olive



Black/Brass

Firegem Visa Highline Radiant Gas Fire

Firegem Visa

The Firegem Visa range offers the ultimate in safety, reliability and performance. Featuring heat exchanger technology and boasting 89% efficiency with a powerful 4.87kW heat output, this model features a top positioned heat control for ease of use. A special disabled control handle also comes as standard. Suitable for chimneys, pre-fabricated and precast flues, it is available in a range of colours and comes fitted with the RW Safeguard safety system for peace of mind.

Features:

Max Heat Output: 4.87kW

Nett Efficiency Rating: 89%

Gas Type: NG

Control Type: Top Control

Dimensions: (HxWxD) 540 x 660 x 196mm

Chimney Required: BC, PF, PCF

Product Code	Model	Colour Option
A85014	Firegem Visa	Olive
A85015	Firegem Visa	Black/Brass
A85048	Firegem Visa	Black/Chrome



Black/Brass



Black/Chrome



Olive



Firegem Visa Radiant Gas Fire



Firegem Visa Deluxe

Firegem Visa Deluxe & Highline Deluxe

Complete with teak casing the Firegem Visa Deluxe bears all the hallmarks of the popular Firegem Visa radiant/convector fire – safety, reliability and performance. Featuring heat exchanger technology and boasting 89% efficiency with a powerful 4.87kW heat output, this model features a top-positioned heat control for ease of use and features four heat positions.

Features:

Max Heat Output: 4.87kW

Nett Efficiency Rating: 89%

Gas Type: NG

Control Type: Top Control

Dimensions: (HxWxD) Visa Deluxe 556 x 695 x 198mm

Visa Deluxe Highline 638 x 695 x 198mm

Chimney Required: BC, PF, PCF

Product Code	Model	Colour Option
A86005	Firegem Visa Deluxe	Teak
A86013	Firegem Visa Deluxe Highline	Teak



Firegem Visa Deluxe Highline



Disability control handle

Firegem Visa Deluxe & Highline Deluxe Radiant Gas Fire

Sahara Radiant

With a striking canopy available in pewter, bronze or pewter/chrome, the Sahara combines high radiant/convector heat efficiency with low running costs. Boasting 88% efficiency with a powerful 4.78kW heat output, this model features a top positioned heat control for ease of use and features four heat positions. The pewter/chrome model comes with electronic ignition as standard. Complete with the RW Safeguard safety system for peace of mind, this model is suitable for brick chimneys, pre-fabricated and precast flues.

Features:

Max Heat Output: 4.78kW

Nett Efficiency Rating: 88%

Gas Type: NG

Control Type: Top Control (Electronic on A97039)

Dimensions: (HxWxD) 643 x 727 x 232mm

Chimney Required: BC, PF, PCF

Product Code	Model	Colour Option
A97007	Sahara Radiant	Bronze
A97006	Sahara Radiant	Pewter/Brass
A97039	Sahara Radiant Electronic	Pewter/Chrome



Bronze



Pewter/Brass



Pewter/Chrome



Sahara Radiant Gas Fire



DIMENSION Electric Fires

DIMENSION

Blenheim Slimline Electric Fire

The Blenheim utilises Valor's patented Dimension heating technology combining classic features with a truly believable flame effect created by a holographic fuel bed. Providing up to 1.35kW heat output, Blenheim boasts 100% efficiency and comes complete with remote control for easy operation. Running costs are minimised courtesy of energy efficiency LED lights and for extra peace of mind a thermal safety cut out feature is incorporated.

Features:

Max Heat Output: 1.35kW

Nett Efficiency Rating: 100%

LED Lights: Yes

Control Type: Remote control

Dimensions: (HxWxD) 612 x 505 x 70mm

Chimney Required: No chimney or flue required

Product Code	Model	Colour Option
0585040	Blenheim Dimension	Brass
0585050	Blenheim Dimension	Chrome
053503	Additional Spacer Kit	Black



Chrome



Remote control



Blenheim Slimline DIMENSION Electric Fire

Showroom
Exclusive



Chrome

DIMENSION

Downton Slimline Electric Fire

The Downton Dimension electric fire offers fuss-free installation and delivers a truly believable flame effect thanks to its unique, patented holographic technology. This model offers a 1.35kW heat output with a choice of heat settings and can be used independently of the heat. The Downton comes complete with remote control for easy operation and LED lights which ensure running costs are minimised.

Features:

Max Heat Output: 1.35kW

Nett Efficiency Rating: 100%

LED Lights: Yes

Control Type: Remote control

Dimensions: (HxWxD) 612 x 505 x 70mm

Chimney Required: No chimney or flue required

Product Code	Model	Colour Option
0585080	Downton Dimension	Brass
0585090	Downton Dimension	Chrome
053503	Additional Spacer Kit	Black



Brass



Remote control

Downton Slimline DIMENSION Electric Fire

DIMENSION

Glendale Electric Stove

The Glendale Dimension stove is an electric stove which combines stylish design with Valor's unique patented holographic technology. Designed as a clean, efficient and maintenance-free alternative to solid fuel stoves, the Glendale can simply be plugged in to deliver an authentic flame effect, with or without the fan heater, for atmosphere and ambience. It offers a 1.8kW heat output, remote controlled operation and incorporates a safety cut out device for extra piece of mind.

Features:

Max Heat Output: 1.8kW

Nett Efficiency Rating: 100%

LED Lights: Yes

Control Type: Remote control

Dimensions: (HxWxD) 623 x 484 x 303mm

Chimney Required: No chimney or flue required

Product Code	Model	Colour Option
0585101	Glendale Dimension Stove	Black



Black



Remote control



Glendale DIMENSION Electric Stove



Chrome

DIMENSION

Dream Slimline Electric Fire

The Dream slimline Dimension combines elegance and grandeur to create a truly stylish design. Providing up to 1.35kW heat output with a choice of two heat settings, the Dream Dimension comes complete with remote control. This model offers the ultimate in electric heating with a unique flame effect created by patented holographic technology.

Features:

Max Heat Output: 1.35kW

Nett Efficiency Rating: 100%

LED Lights: Yes

Control Type: Remote control

Dimensions: (HxWxD) 636 x 518 x 70mm

Chimney Required: No chimney or flue required

Product Code	Model	Colour Option
0585031	Dream Dimension	Black
0585021	Dream Dimension	Chrome
0585011	Dream Dimension	Pale Gold
0582631	Curved Spacer Kit	Black



Black



Pale Gold



Remote control

Dream Slimline DIMENSION Electric Fire



Solid Fuel Stoves





Brunswick

The comfort of a real fire housed in a traditional style stove. Best quality cast iron multi-fuel stove, suitable for burning wood or solid fuel. The Brunswick stove comes with a choice of brushed brass or brushed steel door furniture. Controlled airwash for cleaner glass and aids combustion.

Features:

Max Heat Output: 5.0kW

Nett Efficiency Rating: 79%

Dimensions: (HxWxD) 630 x 390 x 440mm

Chimney Required: BC - Top or rear flue
(5" / 125mm diameter)

Product Code	Model	Colour Option
0591031	Brunswick	Black



Black

Brunswick Solid Fuel Stove

Baltimore

To make a real statement, the Baltimore offers genuine grandeur in the most generous of spaces, gives a maximum heat output of up to 12kW and comes with the choice of brushed brass or brushed steel door furniture. Controlled airwash system aids combustion and helps keep the glass clean.

Features:

Max Heat Output: 12.0kW

Min Heat Output: 1.0kW

Nett Efficiency Rating: 76%

Dimensions: (HxWxD) 675 x 634 x 411mm

Chimney Required: BC - Top or rear flue
(6" / 150mm diameter)

Product Code	Model	Colour Option
0591331	Baltimore	Black



Black



Baltimore Solid Fuel Stove



Ridlington Solid Fuel Stove

Ridlington

The intricate detailing on the Ridlington stove, perfectly houses the real fire within. The stove comes with a choice of brushed brass or brushed steel door furniture, and has a heat output of 8.0kW. Controlled airwash system aids combustion and helps keep the glass clean.

Features:

Max Heat Output: 8.0kW

Nett Efficiency Rating: 79%

Dimensions: (HxWxD) 650 x 530 415mm

Chimney Required: BC - Top or rear flue
(6" / 150mm diameter)

Product Code	Model	Colour Option
0594431	Ridlington	Black



Black



Wall Heaters



Note: Pipework will be visible when installed

Brazilia F5

The Brazilia F5's slim, unobtrusive design makes it the ideal heater for smaller rooms. Its country beige colour blends with any décor. The easy access, manual control on the front of the heater allows a choice of 3 heat settings – low, medium & high. Available for Natural Gas (optional LPG conversion kit is available).

Features:

Max Heat Output: 1.5kW

Nett Efficiency Rating: 81%

Gas Type: NG & LPG

Control Type: Manual

Dimensions: (HxWxD) 394 x 426 x 126mm

Chimney Required: No chimney required

Product Code	Model	Colour Option
0504521	Brazilia F5	Beige
5110284	LPG Conversion Kit	



Beige

Brazilia F5 Wall Heater

Brazilia F5S

The Brazilia F5S provides a 1.5kW heat output with an 81% efficiency and comes with oak effect side panels. As well as being an economical way of heating the home, the Brazilia wall-heater is ideal for cold spots such as halls, landings, conservatories and bathrooms. This model is suitable for both natural and LP gas, courtesy of an LPG kit.

Features:

Max Heat Output: 1.5kW

Nett Efficiency Rating: 81%

Gas Type: NG & LPG

Control Type: Manual

Dimensions: (HxWxD) 394 x 450 x 128mm

Chimney Required: No chimney required

Product Code	Model	Colour Option
243160	Brazilia F5S	Beige & Oak
5110284	LPG Conversion Kit	



Beige & Oak



Brazilia F5S Wall Heater



Brazilia F8S

For larger rooms the 2.26kW heat output of the Brazilia F8S is up to the task and like the smaller Brazilia F5S, this heater comes with oak effect side panels and 3 heat settings. Available for Natural Gas (optional LPG conversion kit is available).

Features:

Max Heat Output: 2.26kW

Nett Efficiency Rating: 82%

Gas Type: NG & LPG

Control Type: Manual

Dimensions: (HxWxD) 430 x 516 x 152mm

Chimney Required: No chimney required

Product Code	Model	Colour Option
243164	Brazilia F8S	Beige & Oak
5110285	LPG Conversion Kit	
243857	Flue 381 – 483mm (15-19")	
243848	Flue 520 – 610mm (20½-24")	



Beige & Oak

Brazilia F8S Wall Heater

Brazilia F8ST

If you want greater control over the temperature of your room, then the Brazilia F8ST is the model for you. Its thermostatic 'comfort control' system allows you to adjust the warmth between 0.6kW and 2.26kW. The ignition and settings are on the front of the heater to enable easy operation. This model is available in country beige finish with oak effect side panels.

Features:

Max Heat Output: 2.26kW

Nett Efficiency Rating: 82%

Gas Type: NG

Control Type: Manual

Dimensions: (HxWxD) 430 x 516 x 170mm

Chimney Required: No chimney required

Product Code	Model	Colour Option
0504811	Brazilia F8ST	Beige & Oak
243857	Flue 381– 483mm (15-19")	
243848	Flue 520 – 610mm (20.5"-24")	



Beige & Oak



Note: Pipework will be visible when installed



Brazilia F8ST Wall Heater



Technical Information



Technology

that provides better economy, quality and function

Controls



Manual Control

Can be found discreetly behind the fender of Inset gas fires. Located on top or side of outset fires



Touch Control

The side positioned touch control enables easy operation



Fireslide **FireSlide®**

Turn on/off or up/down from easy to use sliding control



Remote

Control from the comfort of your armchair. Available on some gas and Dimension models

Activeheat™

Fires with Activeheat™ give out radiant heat but also draw in cold air from the room, pass it through a heat exchanger to warm it up and then circulate it back around the room. The result is that the room is heated much faster than by radiant heat alone.



HeatXchanger

When you are buying a fire for performance you will not be able to beat our range of gas fires that include a secondary steel heat exchanger. All these fires come with a dedicated heat exchanger which means that the amount of convected heat is unsurpassed by any other fire of its kind. The flue gases are directed from the firebox into the heat exchanger and after scrubbing as much useful heat as it can the products of combustion are safely released into the flue.



Valor Centre 3 Year Guarantee

When you purchase a Valor or Robinson Willey fire, you do so with the utmost confidence that it will serve you for many years to come. Such is the confidence in our products and in our exclusive stockists, that we are able to offer an exclusive THREE-YEAR guarantee when your fire is purchased from one of our network of Valor Centres - providing the fire is serviced annually in accordance with Valor/Robinson Willey guidelines. This gives you an additional two-year's peace of mind over and above our standard guarantee, and you can relax in the knowledge that your fire has been recommended, supplied and installed by professionals and to the highest standards.

To find your nearest Valor Centre, please visit www.valor.co.uk



Trueflame and Airflame Mix & Match Options

The 'mix and match' range of inset gas fires provides increased flexibility when it comes to choosing a gas fire. The Trueflame and Airflame ranges combine Valor's market leading engines with a wide range of trim and fret options. You can choose your Valor engine, trim and fret from the mix & match range to create your own design to suit any preference.

Trueflame
M I X & M A T C H



airflame
M I X & M A T C H



Trim Options



Full Trim Brass



Full Trim Chrome



Half Trim Brass



Half Trim Chrome

Trim Options



Full Trim Brass



Full Trim Chrome




Inlay Trim Brass



Inlay Trim Chrome

Fret Options



Blenheim Brass



Blenheim Chrome




Downton Brass



Downton Chrome

Fret Options



Blenheim Brass



Blenheim Chrome




Downton Brass



Downton Chrome

Fireplace Openings - Gas Fires

Product Name	Height (mm)		Width (mm)		Depth (mm)	
	Min	Max	Min	Max	Min	Max
Modenza Homeflame	450	460	600	635	340	-
Trueflame Full Depth Homeflame Full Trim	555	575	405	457	225	-
Trueflame Full Depth Homeflame Half Trim	555	575	405	457	225	-
Dream Full Depth Homeflame	555	575	405	457	225	-
Petrus Full Depth Homeflame	555	575	405	457	225	-
Blenheim Slimline Homeflame	540	580	305	430	115	-
Dream Slimline Homeflame	540	580	305	430	115	-
Petrus Slimline Homeflame	540	580	305	430	115	-
Trueflame Full Depth Convector Full Trim	555	575	405	457	285	-
Trueflame Full Depth Convector Half Trim	555	575	405	457	285	-
Dream Full Depth Convector	555	575	405	457	285	-
Airflame Convector Manual	560	585	415	495	305	-
Airflame Convector Remote	560	585	415	495	305	-
Blenheim Full Depth	555	575	405	457	218	-
Blenheim Slimline	535	575	335	435	200	-
Dream Slimline Convector	545	575	335	435	235	-
Seattle Slimline	535	575	335	435	200	-
Majestic Decorative	460	560	380	-	193	-
Blakely Landscape	542	585	675	750	355	-
Heartbeat	550	610	305	432	165	-
Black Beauty Slimline	550	610	305	432	165	-
Firecharm LFE	508	640	300	457	165	-
Sahara LFE	508	640	300	457	165	-
Brava Radiant	544	610	305	440	165	-
Black Beauty Radiant	525	610	305	440	165	-
Firelite	525	610	305	440	165	-
Firegem Visa Highline	508	650	305	440	165	-
Firegem Visa	438	650	305	440	165	-
Firegem Visa Deluxe	438	650	305	440	165	-
Firegem Visa Highline Deluxe	508	650	305	440	165	-
Sahara Radiant Electronic	441	630	305	457	165	-



Note - For further details on the requirements for our range of balanced flue gas fires, wall-heaters, solid fuel stoves and electric fires, please refer to the installation instructions.

Important Notice - All dimensions stated within the above table are intended as guidance only. Please refer to the installation instructions before commencing any building work.

Fire Surrounds - Most of the fire surrounds featured in this brochure were supplied by Trent Fireplaces. For further information, please visit www.trent-fireplaces.co.uk or call 0115 979 0330.

Product Name	Type	Heat Output (kWh)		Heat Input (kWh)		Nett Efficiency	Control Type & Position	Chimney / Flue Type				Mounting	Dimensions (HxWxD*)
		Min	Max	Min	Max			Brick	Pre-Fab	Pre-Cast	None		
Modenza Homeflame FS	Gas	1.8	3.8	2.7	5.6	75%	Fireside	✓	✗	✗	✗	Hearth & WM	470 x 646 x 293mm
Trueflame Full Depth Homeflame Full Trim	Gas	1.8	3.85	2.5	5.0	85%	Fireside	✓	† ✓	✗	✗	Hearth	621 x 522 x 186mm
Trueflame Full Depth Homeflame Half Trim	Gas	1.8	3.85	2.5	5.0	85%	Fireside	✓	† ✓	✗	✗	Hearth	610 x 500 x 186mm
Dream Full Depth Homeflame	Gas	1.8	3.85	2.5	5.0	85%	Fireside	✓	† ✓	✗	✗	Hearth	636 x 518 x 186mm
Petrus Full Depth Homeflame	Gas	1.8	3.85	2.5	5.0	85%	Fireside	✓	† ✓	✗	✗	Hearth	636 x 518 x 186mm
Harmony Full Depth Homeflame	Gas	1.8	3.85	2.5	5.0	85%	Fireside	✓	† ✓	✗	✗	Hearth & WM	631 x 546 x 186mm
Blenheim Slimline Homeflame	Gas	1.5	3.1	2.0	3.9	80%	Manual Control	✓	✓	✓	✗	Hearth	612 x 505 x 79mm
Dream Slimline Homeflame	Gas	1.6	3.1	2.3	3.9	80%	Fireside	✓	✓	✓	✗	Hearth	636 x 518 x 79mm
Petrus Slimline Homeflame	Gas	1.6	3.1	2.3	3.9	80%	Fireside	✓	✓	✓	✗	Hearth	636 x 518 x 79mm
Trueflame Full Depth Convector Full Trim	Gas	1.3	4.0	2.7	6.85	64%	Fireside	✓	† ✓	✗	✗	Hearth	621 x 522 x 235mm
Trueflame Full Depth Convector Half Trim	Gas	1.3	4.0	2.7	6.85	64%	Fireside	✓	† ✓	✗	✗	Hearth	610 x 500 x 235mm
Dream Full Depth Convector	Gas	1.3	4.0	2.7	6.85	64%	Fireside	✓	† ✓	✗	✗	Hearth	636 x 518 x 235mm
Airflame Convector Manual	Gas	2.4	3.7	4.8	6.95	59%	Manual Control	✓	† ✓	✗	✗	Hearth	600 x 522 x 254mm
Airflame Convector Remote	Gas	1.85	3.7	3.2	6.95	59%	Remote Control	✓	† ✓	✗	✗	Hearth	600 x 522 x 254mm
Blenheim Full Depth	Gas	1.2	3.8	2.3	6.85	61%	Manual Control	✓	✓	✗	✗	Hearth	599 x 492 x 186mm
Blenheim Slimline	Gas	1.3	3.1	2.3	6.0	56%	Manual Control	✓	✓	✓	✗	Hearth	585 x 450 x 115mm
Dream Slimline Convector	Gas	1.35	3.3	2.7	6.0	61%	Fireside	✓	✓	✓	✗	Hearth	636 x 518 x 135mm
Seattle Slimline	Gas	1.3	3.1	2.3	6.0	56%	Manual Control	✓	✓	✓	✗	Hearth	588 x 450 x 115mm
Majestic Decorative	Gas	n/a	n/a	2.3	6.85	n/a	Manual Control	✓	✓	✗	✗	Hearth	n/a x 380 x 193mm
Blakely Landscape	Gas	1.4	4.3	2.0	5.7	84%	Remote Control	✓	✗	✗	✗	Hearth	680 x 930 x 312mm
Dream Balanced Flue ➤	Gas	1.1	2.8	1.5	3.65	84%	Top Control	✗	✗	✗	✓	Hearth	636 x 518 x 110mm
Valentia Balanced Flue	Gas	1.5	3.57	1.0	4.5	88%	Top Electronic Control	✗	✗	✗	✓	Hearth & WM	633 x 646 x 273mm
Heartbeat	Gas	1.0	3.6	1.55	5.05	78%	Side Control	✓	✓	✓	✗	Hearth & WM	643 x 632 x 212mm
Black Beauty Slimline	Gas	1.2	4.0	1.55	5.05	88%	Side Control	✓	✓	✓	✗	Hearth & WM	655 x 657 x 247mm
Firecharm LFE Electronic	Gas	0.83	4.4	1.55	5.57	88%	Top Electronic Control	✓	✓	✓	✗	Hearth & WM	635 x 650 x 241mm
Sahara LFE Electronic	Gas	0.83	4.4	1.55	5.57	88%	Top Electronic Control	✓	✓	✓	✗	Hearth & WM	643 x 727 x 250mm
Firecharm RS Electronic	Gas	1.5	3.57	1.0	4.5	88%	Top Electronic Control	✗	✗	✗	✓	Hearth & WM	633 x 646 x 273mm
Black Beauty Radiant Manual & Electronic	Gas	1.0	4.0	1.57	5.5	81%	Top Manual & Electronic Control	✓	✓	✓	✗	Hearth & WM	625 x 657 x 204mm
Brava Radiant Manual & Electronic	Gas	1.0	4.0	1.57	5.5	81%	Top Manual & Electronic Control	✓	✓	✓	✗	Hearth & WM	610 x 713 x 193mm
Firelite Radiant Manual & Electronic	Gas	1.0	4.0	1.57	5.5	81%	Top Manual & Electronic Control	✓	✓	✓	✗	Hearth & WM	633 x 620 x 205mm
Firegem Visa Highline	Gas	1.1	4.87	1.55	6.04	89%	Top Manual & Electronic Control	✓	✓	✓	✗	Hearth & WM	622 x 660 x 196mm
Firegem Visa	Gas	1.1	4.87	1.55	6.04	89%	Top Manual Control	✓	✓	✓	✗	Hearth & WM	540 x 660 x 196mm
Firegem Visa Deluxe	Gas	1.1	4.87	1.55	6.04	89%	Top Manual Control	✓	✓	✓	✗	Hearth & WM	556 x 695 x 198mm
Firegem Visa Highline Deluxe	Gas	1.1	4.87	1.55	6.04	89%	Top Manual Control	✓	✓	✓	✗	Hearth & WM	638 x 695 x 198mm
Sahara Radiant	Gas	1.1	4.87	1.55	6.04	88%	Top Manual & Electronic Control	✓	✓	✓	✗	Hearth & WM	643 x 727 x 232mm
Blenheim Slimline Dimension	Electric	0.68	1.35	N/A	N/A	100%	Remote Control	N/A	N/A	N/A	✓	Hearth	612 x 505 x 70mm
Downton Slimline Dimension	Electric	0.68	1.35	N/A	N/A	100%	Remote Control	N/A	N/A	N/A	✓	Hearth	612 x 505 x 70mm
Dream Slimline Dimension	Electric	0.68	1.35	N/A	N/A	100%	Remote Control	N/A	N/A	N/A	✓	Hearth	636 x 518 x 70mm
Glendale Dimension Stove	Electric	0.9	1.8	N/A	N/A	100%	Remote Control	N/A	N/A	N/A	✓	Hearth	623 x 484 x 303mm
Brunswick	Solid Fuel	1.0	5.0	N/A	N/A	79%	N/A	✓	✗	✗	✗	Hearth	630 x 390 x 440mm
Baltimore	Solid Fuel	1.0	12.0	N/A	N/A	76%	N/A	✓	✗	✗	✗	Hearth	675 x 634 x 410mm
Riddlington	Solid Fuel	1.0	8.0	N/A	N/A	79%	N/A	✓	✗	✗	✗	Hearth	650 x 530 x 415mm
Brazilia F5	Gas	0.57	1.5	0.86	2.05	81%	Manual Control	N/A	N/A	N/A	✓	Wall mounted	394 x 426 x 126mm
Brazilia F5S	Gas	0.57	1.5	0.86	2.05	81%	Manual Control	N/A	N/A	N/A	✓	Wall mounted	394 x 450 x 128mm
Brazilia F8S	Gas	0.8	2.26	1.27	3.06	82%	Manual Control	N/A	N/A	N/A	✓	Wall mounted	430 x 516 x 152mm
Brazilia F8ST	Gas	0.6	2.26	1.5	3.06	82%	Manual Control	N/A	N/A	N/A	✓	Wall mounted	430 x 516 x 170mm

Important notice: All dimensions stated within the specification table are intended as guidance only. Please consult installation instructions before commencing any building work.
The right to change specification without prior notice is reserved. No liability is accepted for problems caused by poor installation or misuse of product.

* Engine Depth

Key to Technical Table

Hearth & WM Can be hearth or wall mounted - ashpan is not separate

Hearth Can be hearth or wall mounted. If wall mounted the fire would require a small plinth to support the fret/ashpan which is not attached to the main fire.

NB: Please note that the fires which are highlighted as 'Hearth' are intended for floor level installation with a back panel and hearth. If raised some of the inner workings of the fire may become more visible than intended.

† These fires are suitable for most pre-fabricated flues dependent on the flue depth and diameter. Please refer to the installation instructions to ensure that this fire is compatible.

> Inset balanced flue fires can be installed inset/semi-inset into the wall cavity with the 3" spacer, or flat against the wall with the 5" spacer.

Note: Due to the sheer number of varying flue boxes and pre-cast flues it is not possible to advise on which fires are suitable until the existing fire has been removed. If the width at the rear of the pre-cast flue starter blocks is less than 300mm wide the minimum depth of the opening will be not less than 154mm.

Key to Logos



Intertek

All our electric fires are BEAB approved. The mark of the British Electrotechnical Approvals Board signifies that the appliance bearing it has been produced to the stringent safety requirements for domestic electrical appliance as laid down in BSEN60335



All our products carry the CE Mark complying with European Safety Standards



Our products are made in accordance with Quality Management System Standard ISO 9001.



WEEE Producer Registration Number WEE/GE0057TS
WEEE Distributor Take Back Scheme - Registration ID: 6131


Terms & Conditions

Valor's policy is one of continual improvement and development. The right to change specification without prior notice is reserved, therefore the actual product may change and so the image shown may not be an exact representation. All images within the brochure were correct at time of print. Reproduction of colours is as accurate as photographic processes will allow.

Though accurate at the time of printing, this brochure is not intended to replace the installation manual which provides more detailed information. The statutory rights of the consumer are not affected.

*No liability is accepted for problems caused by poor installation or misuse of the product.

Key to Dimensions







Valor is a Glen Dimplex Heating & Ventilation Brand
Millbrook House, Grange Drive, Hedge End, Southampton SO30 2DF

tel: 0844 879 35 88 *

* Calls cost 7p per minute plus your telephone company's network access charge (correct at time of printing)

email: customer.services@valor.co.uk website: www.valor.co.uk  @ValorFires  Valor Fires

For Northern Ireland & Republic of Ireland, contact

Glen Dimplex Ireland, Old Airport Road, Cloghran, Co Dublin. tel +353 (0) 1 8424 277 email: salesireland@glendimplex.com web: www.glendimplexireland.com